



A Module in a Comprehensive Robot+Al Based Platform for Senior Care **Robot + Al-based Facial Expression Analysis** to Detect Agitation in Persons with AD/ADRD

Yuval Malinsky, PI Vigorous Mind, Inc. Team: Mauricio Korbman, Yael Melman, Yehuda Inbar JH AITC[AD/ADRD or Aging] Focus Pilot Core

Physical and verbal agitation is found in 80% of nursing home residents

- Agitation can pose a major problem for the resident, their family and for caregivers.
- Patterns of agitation are **specific to each person** living with AD/ADRD.
- The inability to successfully manage dementia behaviors often results in **increased burden on** caregivers and use of antipsychotic & psychotropics medications.
- Use of antipsychotic and psychotropics medications increases the risk of death and the risk of falls and fractures.

Non-pharmacological Treatment of Agitation

- Sensory and reminiscence therapies may work to reduce ADRD-related agitation by decreasing feelings of isolation and boredom, or by distracting from repetitive thoughts.
- The **Agitation and Behavior Mapping Instrument (ABMI)** is a validated and effective tool to detect agitation and a window for targeting nonpharmacological interventions.
- Administering nonpharmacological intervention when needed is time consuming.

How A Robot with AI Can Help Solve the Agitation Problem?

Yuval Malinsky, CEO
Vigorous Mind, Inc.
ymalinsky@vigorousmind.com
(617) 407-1110

- The robot **autonomously navigates** to the resident's room and we program it to face and observe the resident.
- ✓ We integrate an Al-based facial expression analysis software on the robot.
- ✓ We train the robot and validate its ability to detect agitation in persons with AD/ADRD.
- ✓ We use the robot with the new agitation detection capability to detect **peak Agitation times applying (ABMI)**.
- ✓ Using the peak agitation times map, a **personalized nonpharmacological intervention** can be administered by the robot to calm down residents, reduce agitation and the need for antipsychotic and psychotropics medications.





Acknowledgements: National Institute on Aging Grant P30AG073104